

# Norma Kalahari 155 gr



Bullet type	Bullet weight	Ballistic coefficient	Product number
Norma Kalahari	10 g / 155 gr	0.305	20175072

Velocity			
V <sub>0</sub>	V <sub>100</sub>	V <sub>200</sub>	V <sub>300</sub>
1000 (m/s) / 3280 (f/s)	891 (m/s) / 2952 (f/s)	791 (m/s) / 2648 (f/s)	697 (m/s) / 2363 (f/s)

Energy			
E <sub>0</sub>	E <sub>100</sub>	E <sub>200</sub>	E <sub>300</sub>
5002 (J) / 3704 (ft.-lb.)	3972 (J) / 3001 (ft.-lb.)	3126 (J) / 2413 (ft.-lb.)	2430 (J) / 1922 (ft.-lb.)

Zero range, meters	Height of trajectory above line of sight if sighted in at X meter. For sights 40mm above bore					
	50	80	100	150	200	300 m
80	-0.6	∅	-0.2	-2.8	-9	-33.5
100	-0.5	0.1	∅	-2.6	-8.6	-33
150	0.3	1.5	1.7	∅	-5.2	-27.9
200	1.6	3.6	4.3	3.9	∅	-20.1

Sighting distance in yards	Height of trajectory above line of sight if sighted in at X yards. For sights 1,6 inch above bore				
	50	100	150	200	300 yds
50	∅	0.6	0.2	-1.3	-8.2
100	-0.3	∅	-0.7	-2.5	-10

<b>150</b>	-0.1	0.5	å	-1.6	-8.6
<b>200</b>	0.3	1.3	1.2	å	-6.2

**Winddrift in mm for a 5 m/s cross wind**

<b>100</b>	<b>200</b>	<b>300 m</b>
30	126	299

**Winddrift in inches for a 10 m.p.h cross wind**

<b>100</b>	<b>200</b>	<b>300 yds</b>
0.9	3.7	8.7

**NORMA PRECISION AB**  
670 40 Åmotfors Sweden



Purveyor to  
the  
Royal Court  
of Sweden



**AFEMS**



**Intertek**

Together  
ahead. **RUAG**