

Norma Oryx 196 gr



| Bullet type | Bullet weight | Ballistic coefficient | Product number |
|-------------|-----------------|-----------------------|----------------|
| Norma Oryx | 12.7 g / 196 gr | 0.331 | 20180042 |

| Velocity | | | |
|------------------------|------------------------|------------------------|------------------------|
| V ₀ | V ₁₀₀ | V ₂₀₀ | V ₃₀₀ |
| 770 (m/s) / 2526 (f/s) | 685 (m/s) / 2269 (f/s) | 605 (m/s) / 2027 (f/s) | 531 (m/s) / 1802 (f/s) |

| Energy | | | |
|---------------------------|---------------------------|---------------------------|---------------------------|
| E ₀ | E ₁₀₀ | E ₂₀₀ | E ₃₀₀ |
| 3767 (J) / 2778 (ft.-lb.) | 2979 (J) / 2241 (ft.-lb.) | 2325 (J) / 1789 (ft.-lb.) | 1793 (J) / 1413 (ft.-lb.) |

| Zero range, meters | Height of trajectory above line of sight if sighted in at X meter. For sights 40mm above bore | | | | | |
|--------------------|---|----|-----|-----|------|-------|
| | 50 | 80 | 100 | 150 | 200 | 300 m |
| 80 | -1 | ∅ | -10 | -71 | -191 | -643 |
| 100 | 4 | 8 | ∅ | -57 | -172 | -614 |
| 150 | 23 | 38 | 38 | ∅ | -97 | -501 |
| 200 | 47 | 77 | 86 | 73 | ∅ | -356 |

| Sighting distance in yards | Height of trajectory above line of sight if sighted in at X yards. For sights 1,6 inch above bore | | | | |
|----------------------------|---|-----|------|------|---------|
| | 50 | 100 | 150 | 200 | 300 yds |
| 50 | ∅ | 0.1 | -1.5 | -5 | -18.6 |
| 100 | 0 | ∅ | -1.7 | -5.2 | -18.9 |

| | | | | | |
|------------|-----|-----|-----|----|-------|
| 150 | 0.5 | 1.1 | â | -3 | -15.6 |
| 200 | 1.3 | 2.6 | 2.2 | â | -11.1 |

| Winddrift in mm for a 5 m/s cross wind | | |
|--|------------|--------------|
| 100 | 200 | 300 m |
| 39 | 167 | 400 |

| Winddrift in inches for a 10 m.p.h cross wind | | |
|---|------------|----------------|
| 100 | 200 | 300 yds |
| 1.2 | 4.9 | 11.6 |

NORMA PRECISION AB
670 40 Åmotfors Sweden



Purveyor to
the
Royal Court
of Sweden



AFEMS



Intertek

Together
ahead. **RUAG**