

# Norma Alaska 285 gr



| Bullet type  | Bullet weight   | Ballistic coefficient | Product number |
|--------------|-----------------|-----------------------|----------------|
| Norma Alaska | 18.5 g / 285 gr | 0.365                 | 20193202       |

| Velocity               |                        |                        |                        |
|------------------------|------------------------|------------------------|------------------------|
| V <sub>0</sub>         | V <sub>100</sub>       | V <sub>200</sub>       | V <sub>300</sub>       |
| 710 (m/s) / 2329 (f/s) | 636 (m/s) / 2106 (f/s) | 567 (m/s) / 1897 (f/s) | 503 (m/s) / 1701 (f/s) |

| Energy                    |                           |                           |                           |
|---------------------------|---------------------------|---------------------------|---------------------------|
| E <sub>0</sub>            | E <sub>100</sub>          | E <sub>200</sub>          | E <sub>300</sub>          |
| 4665 (J) / 3440 (ft.-lb.) | 3743 (J) / 2814 (ft.-lb.) | 2972 (J) / 2281 (ft.-lb.) | 2339 (J) / 1835 (ft.-lb.) |

| Zero range, meters | Height of trajectory above line of sight if sighted in at X meter. For sights 40mm above bore |    |     |     |      |       |
|--------------------|---|----|-----|-----|------|-------|
|                    | 50  | 80 | 100 | 150 | 200  | 300 m |
| 80                 | 1   | å  | -12 | -86 | -228 | -751  |
| 100                | 7   | 10 | å   | -68 | -204 | -714  |
| 150                | 30  | 46 | 45  | å   | -113 | -579  |
| 200                | 58  | 91 | 102 | 85  | å    | -409  |

| Sighting distance in yards | Height of trajectory above line of sight if sighted in at X yards. For sights 1,6 inch above bore |      |      |      |         |
|----------------------------|---|------|------|------|---------|
|                            | 50  | 100  | 150  | 200  | 300 yds |
| 50                         | å   | -0.2 | -2.3 | -6.6 | -22.7   |
| 100                        | 0.1   | å    | -2.1 | -6.3 | -22.2   |

|            |     |     |     |      |       |
|------------|-----|-----|-----|------|-------|
| <b>150</b> | 0.8 | 1.4 | å   | -3.5 | -18.1 |
| <b>200</b> | 1.7 | 3.1 | 2.7 | å    | -12.8 |

| Winddrift in mm for a 5 m/s cross wind |            |              |
|--|------------|--------------|
| <b>100</b>                             | <b>200</b> | <b>300 m</b> |
| 40                                     | 169        | 401          |

| Winddrift in inches for a 10 m.p.h cross wind |            |                |
|---|------------|----------------|
| <b>100</b>                                    | <b>200</b> | <b>300 yds</b> |
| 1.2   | 4.9        | 11.7           |

**NORMA PRECISION AB**  
670 40 Åmotfors Sweden



Purveyor to  
the  
Royal Court  
of Sweden



Together  
ahead. **RUAG**